



UKOPRA Class 3 Class Classification Table

Engines	<ul style="list-style-type: none"> • 3N requires a declaration of Horsepower to be made that will be subject to Dyno testing at the request of the scrutineer. • 3B A non-stepped hull will be permitted to utilise 2700 CC / 150 HP (minimum weight penalty (including crew) 860kg. • Non homologated engines are accepted. HP rating is as that given by the manufacturer and engines should not be modified in any form from manufacturer's specifications. • A lower rated base powerhead may be modified to bring it up to a declared horsepower that will be subjected to dyno testing if required. 				
Classes	3A	3B	3X		3N
Cubic Capacity	Up To:				
	2100 CC	2100 CC	3000 CC	3500 CC	No Limit
Maximum Power	115 HP	115 HP	200 HP	300 HP	As Declared

Buoyancy	<ul style="list-style-type: none"> • Minimum buoyancy requirements are not a guarantee that a boat will not submerge. • Competitors are to make their own assessment as to suitability. 				
Classes	3A	3B	3X		3N
	Monohull GRP				
	250 L	270 L	370 L		500 L
	Monohull Sandwich				
	130 L	140 L	150 L		280 L
	Multihull GRP				
	<i>Monohull only</i>	280 L	440 L		550 L
	Multihull Sandwich				
	<i>Monohull only</i>	180 L	180 L		300 L



UKOPRA Class 3 Class Classification Table

Hull Dimensions	<ul style="list-style-type: none"> Hull measurement Class 3A and 3X All hull measurements are to be taken while the boat is ashore. The length must be measured between perpendiculars of the external moulded length of the boat, taken at the extreme bow and the interface between the hull and bracket / engine. Hull extension beyond the transom shall be deemed to be 'fixed trim tabs' and shall not be included in the measured length. When defining "extreme bow", any form that constitutes the bow and its construction and contributes to the performance of the boat shall be included in the measured length. Any other attachment that is added to meet a minimum length requirement shall not be included in the measured length. <p>Boat width: 3A . 0 M - 2.00 M. 3X 1,70 m - 2.10 m</p>				
Classes	3A	3B	3X		3N
Length	Monohull				
Minimum	5.75 M	5.00 M	6.00 M	6.75 M	7.25 M
Maximum	7.00 M	6.80 M	8.00 M	8.00 M	9.25 M
	Multihull				
Minimum	<i>Monohull only</i>	5.00 M	6.00 M	6.75 M	7.25 M
Maximum	<i>Monohull only</i>	6.80 M	8.00 M	8.00 M	9.25 M
Width	Monohull				
Minimum	1.60 M	No Min	1.70 M	1.70 M	1.80 M
Maximum	2.00 M	No Max	2.40 M	2.40 M	2.80 M
	Multihull				
Minimum	<i>Monohull only</i>	No Min	No Min	No Min	No Min
Maximum	<i>Monohull only</i>	No Max	No Max	No Max	No Max



UKOPRA Class 3 Class Classification Table

Cube				
Classes	3A	3B	3X	3N
	Monohull and Multihull			
Length	2.35 M	2.35 M	2.75 M	3.60 M
Width	1.20 M	1.20 M	1.20 M	1.20 M
Height	0.46 M	0.46 M	0.46 M	0.46 M

Weight				
Classes	3A	3B	3X	3N
Maximum	No maximum weight			
Minimum including crew	Monohull			
	700 KG	655 KG	1000 KG	Add 4 KG Up to 200 HP
	Multihull			
	<i>Monohull only</i>	730 KG	Add 20 %	<i>Monohull only</i>
				Add 4.5 KG Per declared HP
				Add 20 %